RECEIVED
JUN 26 2009

RECEIVED

JUN \$ 6 2009

BY	BY
----	----

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

A			V	
---	--	--	---	--

Silan	2 Wates	Supply Name	iation
130024	Public Water	Supply Name 130025	130021
130016	130015	130017	130023
List PWS IL	#s for all Water	Systems Covered	l by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

X	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	★ Advertisement in local paper★ On water bills□ Other
	Date customers were informed: 7 / / / 09
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed://
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Daily Times LEADER.
	Date Published: 6 //8/09
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
]	CCR was posted on a publicly accessible internet site at the address: www

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Name/Title (President, Mayor, Owner, etc.)

6-18-69 Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2008 Drinking Water Quality Report

is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability:

Our source water assessment is available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline at 1-800-426-4791.

How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport – Certified Operator P.O. Box 224 West Point, Ms 39773 662-494-1852

****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Dept of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply at 1-601-576-7518.

Important Information Regarding Your Drinking Water

Our water system violated a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what happened and what we are doing to correct the situation.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. For the sample period ending 12/31/2008 we did not properly monitor for Lead/Copper and therefore cannot be sure of the quality of our drinking water during that time.

We are scheduled to take required samples again in June-2009 and there is nothing you need to do at this time.

The table below lists the contaminant we did not properly test for, how often we are supposed to sample, how many samples we are required to take, how many samples we took, when samples should have been taken and the date on which follow-up samples will be taken.

Well and ID#	Contaminant	Required Sampling Frequency	Number of Samples taken	When all samples should have been taken	When samples will be taken again	
lvy Village- 130004	LEAD/COPPER	TRIENNIAL	3 out of 5	Dec-08	Jun-09	
Muldon- 130024	LEAD/COPPER	TRIENNIAL	4 out of 5	Dec-08	Jun-09	
Beasley II- 130025	LEAD/COPPER	TRIENNIAL	4 out of 5	Dec-08	Jun-09	

Beginning January 1, 2004 the Mississippi State Dept of Health required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. Our system failed to meet the monitoring requirements in Aug 05 and Aug and Sept of 06. We did however complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period. For more information, please contact the Siloam Water Association at 662-494-1852 or PO Box 224, West Point, Ms 39773.

Additional Information on Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap water for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Dept of Health Public Health Lab offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

'Term ့ .	Definition
ppm	parts per million, or milligrams per liter (mg/L)
ppb	parts per billion, or micrograms per liter (ug/L)
MCLG-Maximum Contaminant	The level of a contaminant in drinking water below which
level goal	there is no known or expected risk to health. MCLGs
	allow for a margin of safety.
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCLGs
	as feasible using the best available treatment technology
TT-Treatment Technique	A required process intended to reduce the level of a
	contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded,
	triggers treatment or other requirements which a water
	system must follow.
MRDLG-Maximum Residual	The level of a drinking water disinfectant below which
Disinfection Level Goal	there is no known or expected risk to health. MCLGs do
	not reflect the benefits of the use of disinfectants to
	control microbial contaminants.
MRDL-Maximum Residual	The highest level of a disinfectant allowed in drinking
Disinfection Level	water. There is convincing evidence that addition of a
	disinfectant is necessary for control of microbial
	contaminants.

Water Quality Data Table

INORGANIC AND RADIOACTIVE CONTAMINANTS

BETA

Well - PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	50	2.70	No	Jul-02	Decay of natural and man made
Beasley II-	130025	0	50	3.30	No	Jul-02	deposits. Erosion of natural
Griffith-	130015	0	50	0.00	No	Jul-02	deposits.
Gates-	130021	0	50	1.80	No	Jul-02	
Ivy Village-	130004	0	50	1.10	No	Jul-02	
Muldon-	130024	0	50	2.10	No	Jul-02	
Pine Bluff-	130017	0	50	3.90	No	Jul-02	
Una-	130023	0	50	3.70	No	Jul-02	

ALPHA EMITTERS

Well - PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	15	0.00	No	Feb-02	Erosion of natural deposits.
Beasley II-	130025	0	15	1.00	No	Feb-02	
Griffith-	130015	0	15	0.00	No	Feb-02	
Gates-	130021	0	15	1.00	No	Feb-02	
Ivy Village-	130004	0	15	1.00	No	Feb-02	
Muldon-	130024	0	15	0.00	No	Feb-02	
Pine Bluff-	130017	0	15	1.00	No	Feb-02	
Una-	130023	0	15	0.00	No	Feb-02	

BARIUM

Well - PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	2	2	0.03	No	Mar-08	Discharge of drilling waste
Beasley II-	130025	2	2	0.02	No	Mar-08	and metal refineries. Erosion
Griffith-	130015	2	2	0.03	No	Mar-08	of natural deposits.
Gates-	130021	2	2	0.02	No	Mar-08	
lvy Village-	130004	2	2	0.03	No	Mar-08	
Muldon-	130024	2	2	0.07	No	Mar-08	
Pine Bluff-	130017	2	2	0.07	No	Mar-08	
Una-	130023	2	2	0.04	No	Mar-08	

Well - PWS	ID# ,	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	4	4	0.73	No	Mar-08	Erosion of natural deposits.
Beasley II-	130025	4	4	1.10	No	Mar-08	Additive which promotes strong
Griffith-	130015	4	4	0.70	No ·	Mar-08	teeth. Discharge from fertilizer.
Gates-	130021	4	4	0.82	No	Mar-08	
Ivy Village-	130004	4	4	0.77	No	Mar-08	
Muldon-	130024	4	4	0.48	No	Mar-08	
Pine Bluff-	130017	4	4	0.38	No	Mar-08	
Una-	130023	4	4	0.30	No	Mar-08	

LEAD

Well - PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	15	0.002	No	Jul-08	Corrosion of household plumbing
Beasley II-	130025	0	15	0.001	No	Jul-08	systems. Erosion of natural
Griffith-	130015	0	15	0.002	No	Jul-07	deposits.
Gates-	130021	0	15	0.003	No	Jul-07	
Ivy Village-	130004	0	15	0.002	No	Jul-08	
Muldon-	130024	0	15	0.001	No	Aug-04	
Pine Bluff-	130017	0	15	0.002	No	Jul-07	
Una-	130023	0	15	0.003	No	Jul-08	

COPPER

Well – PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	1.3	1.3	0.60	No	Jul-08	Corrosion of household plumbing
Beasley II-	130025	1.3	1.3	0.70	No	Jul-08	system. Erosion of natural
Griffith-	130015	1.3	1.3	0.10	No	Jul-07	deposits.
Gates-	130021	1.3	1.3	0.10	No	Jul-07	
Ivy Village-	130004	1.3	1.3	0.00	No	Jul-08	
Muldon-	130024	1.3	1.3	0.10	No	Aug-04	
Pine Bluff-	130017	1.3	1.3	0.30	No	Jul-07	
Una-	130023	1.3	1.3	0.30	No	Jul-08	

NITRATE/NITRATE

Well – PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	10	10	0.1	No	May-08	Runoff from fertilizer use;
Beasley II-	130025	10	· 10	0.1	No	May-08	leaching from septic tanks and
Griffith-	130015	10	10	0.1	No	May-08	sewage. Erosion of natural
Gates-	130021	10	10	0.1	No	May-08	deposits.
Ivy Village-	130004	10	10	0.1	No	May-08	
Muldon-	130024	10	10	0.1	No	May-08	
Pine Bluff-	130017	10	10	0.1	No	May-08	
Una-	130023	10	10	0.1	No	May-08	

HALOACE	HC ACID	HAA5					
Well - PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.06	0.06	0.02	No	Aug-08	Disinfection Bi-product
Beasley II-	130025	0.06	0.06	0.02	No	Aug-08	
Griffith-	130015	0.06	0.06	0.06	No	Jun-08	
Gates-	130021	0.06	0.06	0.02	No	Aug-08	
Ivy Village-	130004	0.06	0.06	0.00	No	Aug-08	
Muldon-	130024	0.06	0.06	0.02	No	Aug-08	
Pine Bluff-	130017	0.06	0.06	0.03	No	Aug-08	
Una-	130023	0.06	0.06	0.02	No	Aug-08	

TOILLAI	OMETHANE	TTHM
IRIDAL	CINICIDANC	, , nm

Well - PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.08	0.08	0.04	No	Aug-08	Disinfection Bi-product
Beasley II-	130025	0.08	0.08	0.04	No	Aug-08	
Griffith-	130015	0.08	0.08	0	No	Jun-08	
Gates-	130021	0.08	0.08	0.04	No	Aug-08	·
Ivy Village-	130004	0.08	0.08	0.04	No	Aug-08	
Muldon-	130024	0.08	0.08	0.04	No	Aug-08	
Pine Bluff-	130017	0.08	0.08	0.04	No	Aug-08	
Una-	130023	0.08	0.08	0.04	No	Aug-08	

CHLORINE – There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

1								l	i I
					Range		Sample		
Well - PWS	ID#	MCLG	MCL	Your Water	Low	High	Date	Violation	Typical Source
Beasley I -	130016	4	4	0.20	0.10	0.20	Jan-04	N	Water additive used
Beasley II -	130025	4	4	0.20	0.13	0.20	Jan-04	N	to control microbes.
Griffith-	130015	4	4	0.20	0.13	0.20	Jan-04	N	
Gates-	130021	4	4	0.16	0.13	0.16	Jan-04	N	
Ivy Village-	130004	4	4	0.20	0.10	0.20	Jan-04	N	
Muldon-	130024	4	4	0.20	0.10	0.20	Jan-04	N	
Pine Bluff-	130017	4	4	0.20	0.10	0.20	Jan-04	N	
Una-	130023	4	4	0.25	0.10	0.25	Jan-04	N	

The State of Mississippi CLAY COUNTY

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

AFFIDAVIT OF PUBLICATION

the undersigned representative of the Daily Times Leader, a Before me, in and for said county, this day personally came newspaper published in the City of West Point, of said county and state, who being duly sworn deposeth and says that the publication of a certain notice, a true copy of which, is hereto weeks consecutively, to wit: affixed has been made for _

-, 20 <mark>09</mark>	_, 20	-, 20	_, 20	-, 20 <u> </u>
81-9				
Dated	Dated	Dated	Dated	Dated

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that he publication thereof has been correctly made. WITNESS MY HAND AND SEAL OF OFFICE, this the

_, A.D., 20<u>09</u> 19 day of June

By: Jeannotte G. Edwards Notary Public NOTARY PUBLIC STATE OF MISSISSIPPI AT LARGE MY COMMISSION EXPIRES: Mar 18, 2011 BOARD THRII NOTARY PUBLIC UNDERWRITERS

DAILY TIMES LEADER

TEST 5

By: Matasko Nation () Publisher (M Clerk () Editor () Printer

Publication Fee \$
Proof(s) Of Publication \$
Total Charges \$ Total Charges

ep a stem eye on your finances. Investigate opportunities are stem from friends. Communication flourishes. Ground HOROSCOPE by Jacqueline Bigar hand, baughtiness keeps bubbling up, encour LIBRA (Sept. 23-Oct. 22)

	- E	3	9
			-e 3 ∥
Q.G.Y.I.X.X.I. Q.B.S.T.X.X.I. S. Grypioquip: IF YOU GREATE A REPOSITIORY FOR DISCARDING T. WILLYOU CALL IT: A DUMPLING IS Copproquip Clue: X equals T			CRYPTOQUIP GRYPTOQUIP
FESE,	. × × 6		불봉
9832	_ 8	- 6	ã¥∥ l
E HO	C EY	2	
		· 🗻	크
A@QZH:		: - R	ä
X A1 RD PE	· /2	7 -	ANSWER
8856	CENTALS ZX		ANS
E (1)			
56 53 42 56 53 56	8 8 4	8 5	[전
1 2 5	82 82 85		38 Without 5 acting a 4 12 2 3 4
1 9	2		
G	A CONTRACT OF STREET		=
	8		
	新华山 和亚的	PROFES CONTRACTOR	
	36 37	19	1
44 44 50 54 57			HST Yester 5%
50 51 57		14 5	Vesterday's an 5% 6% 7

COSTK

AFFIDAVIT# 17400

Siloam Water Association 2000 Orinking Water Quality Report

is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi Bitch Department of Health direking water standards. This report is a snepshot of last year's water quality, included are details about where your water comes from, what it contains and now it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your direking vester.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in crinking water than the general population. Immuni-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplents, people with HisV/a/DS or diner immune system disorders, some elderly and intents can be particularly at risk for interdans. These people should seek advice about drinking water from their health care providers. SPA/Centers for Dissase Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial conteminants are available from the Safe Drinking Water Hotine at 1-800-4261-4761.

Where does my water nome from?

Our water comes from 6 different wells that draw from the Eulaw, Gordo and McGhan Aquifers,

Source water assessment and its availability:

Our source water assessment to available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminents. The presence of contaminents does not necessarily indicate that water poses a health risk. Note information about contaminants and potential health effects can be obtained by calling the Environmental Development of the Contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Sels Crinking Water Holling at 1-900-126-1791.

rv can i get involved?

Our board members meet the 2^{ns} Monday of every month at 5:00 pm at the Silbam Wester Office. Our annual meeting is the 1^{ns} Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we choourage all of our members to attend.

Diloam Water Conted Information Wille Davenport – Certified Operator P.O. Box 224 Viget Point, Ms 39773 062-454-1862

MESSAGE FROM MEDH CONCERNING RADIOLOGICAL SAMPLING

In accordance with the Redicrucilides Rule, all community public water supplies were required to sample quarterly to reciprucilides beginning Jenuary 2007 — December 2007. Your public water completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Dept of Health Radiological Health Caborstory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply. MSDH was required to issue a violation. The Buresu of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply at 1-501-576-7518. Important Information Regarding Your Drinking Water

Our water system violated a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what happened and what we are doing to correct the situation.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. For the sample period ending 12/31/2005 we did not properly monitor for Lead/Copper and therefore cannot be sure of the quality of our drinking water during that time.

We are scheduled to take required samples again in June-2009 and there is nothing you need to do at this time:

The table below lists the contaminant we did not properly test for, how often we are supposed to sample, how many samples we are required to take, how many samples we took, when samples should have been taken and the date on which follow-up samples will be taken.

Well and ID#	Comaninani	Requires Sampling Frequency	Number of Samples taken	When all samples should have been taken	again will be taken When eamples
.NY VRIage 150004	LEAD/COPPER	TRIENMAL	3 gut of 6	Dec-08	Junos
Muldon- 130024	LEAD/COPPER	TRIENMAL	4 out of 5	Dec-06	Jun-09
Seasiey II- 130025	LEAD/COPPER	TRIENNIAL	4 out of 5	Dec-08	Jun-09

Beginsing January 1, 2004 the Mississippi State Dept of Health required public water systems that use chlorine as a primary disinfection by Products Rule. Our system failed to meet the monitoring requirements in Aug 05 and Aug and Sept of 06. We did however complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH rips inotifies systems of any missing samples prior to the ent of the compliance period. For more information, please contact the Silcom Water Association et 662-464-1852 or PO Box 224, West Point, Ms 39773.

Additional Information on Lead

1

If present, elevated levels of tead can osuse serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Silicen Water's respicusible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap water the 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water stated, information on lead in drinking when, after it said sizes, such as and sizes, you can take to minimize exposure is a valished from the Safe Orinking Water Hotline or at http://www.eps.gov/safevaterilead. The Mississippi State Depth of Health Public Health Lab offers lead testing for \$10.00 per sample. Please contest 501-576-7392 if you wish to have your water tested.

为分数) 电影

and the state of

rant Drinking Vilator Deligitio

Compositions Duthing Assist Delicing	ions
Terro	Definition
ptm	parts per million, or milligrams per mer (most)
psp and the street that it	page per billion, or microcrams per that (uch.)
MCLG-Maximum Contaminant	The sevel of a contaminant in drinking water below which
tekel gezi	have is no known or expected that is health MCLGs.
MCL-Maximum Contaminant Level	The highest level of a comminent that to allowed in
	whiting water, MCLs are set as alose to the MCLGs as feasible using the best available treatment technology
TT-Treatment Technique	A required process intenses to reduce the level of a contaminam in drinking water.
AL-Acilian Level	The concentration of a contaminant which, if exceeded, inggess treatment or other requirements which a water system must follow.
MRDLG-Maximum Résidual Disinfection Level Goal	The level of a drinking water dielntsotant below which there is no known or expected risk to health. MCLGs do

	Beasley I- 13001	 s : 1 1 1	c	50		70 L N	io	1	36-02	Planty of network new weet
[8	Sezaley ()- 15002	3	·0	92	9	30 .10	10	·	Jui-02	Decay of natural end man made deposits. Erosjon of natural
	31ffin- 13501: Sates- 13002:		0	50 50			C C)ui-02	deposits.
	Y Y VIII 29- 15000		8	50	~}~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	א נוצ			JUI-DZ	
	Auldon- 13002		Ø	50	2	TO N			ni-05	
	ine Slutt- 13001 Ina- 130021		G	50		90 N			/U)-O2:	
i		•		(50		70 N	-		intes]	
	VEII — PWS ID#		MCLG	MCL	Your water			.		
	ezsley i- 130016		G	15		OC N	iolation s	Sample D	80-02	Typical Source Election of natural deposits.
	essley II- , 13002		. 0	15	1.	00 N	ē.	,	ED-02	
_	Eles- 130015	-+	0	15		DG R			90 02	
-	y VIII20e- 130004			15		OO N		ž	62-03 62-65	
	luide/n- 130024		8	15		CO N		f)	0-02	
	Ine Bluff- 130017		. 8. 0	15	0,	DO N	****		0-02	The state of the s
,			<u>-</u>			25.1.15	S	L£1	0-02	
	ARRUM (Ell – PV/S IO#	1.0	ICLG	MCL	Your Water		o fortani un			
	easley (- 13001 5		2	1910-0	6.1		olation	Sample Da	ar-05	Typical Source Discharge of drilling waste
	esset i: 198052		7.	3	U .				31-US	жно менен теппелен, торына
	niffin 130015 mer- 130021		- 2	2	0.0				27-OE	of natural deposits.
	y Village 13000a			2	8.0				81-08 I	
	ulden 130024		2	2	5.6	77 100			3r-06	
(C)	ne Blust- 130017		2	2	P.C	7 1 100		t _e è	1.502.1	
1000		1,86	i.e	MCL	Your Water	1 8200	ation	Sample Oat		Tuestant discourse
Be	Railey I- 130016		41	4	0.7					Typical Source Erosion of natural deposits
	zsiey II+ 130025		4	4.	7.13	No.		Ma	r-03 .	Additive which promotes strong
Gre Ga	((()) 130015 166 130021		4	4	0.70 0.80		$-\!\!\!\!-\!\!\!\!\!+$			esm. Discharge from fertilizer.
	Viiiige- 130004		4	4	0.77				-08 -08	
	4500gt -ueol	17	-4	A	0.48	Riso -		Ma	-08	
್ಟ್ ಚಿಲ್ಲ	e Stuff: 130017 130023		4	4	0.30 0.30				-08	
							iiii	***		
<i>€.E.</i>	4 <i>0</i> 8 - 89/2 (0#	i war	Le	MGL	Your Water	1122	ation	Character 2		
	stey I- 130016		0	15	0.002		- crarte	ieC slame@ ut		Fypical Source Carreston of household plumping
	isley II- 130028	1	Ċ	15	0.001	No				systems. Erosion of natural
Get		-	a l	15	0:002 0:003	~				Jeposita.
	Village- 150004		- Č	15	0.002		-+		-07	
feltat			0	16	0.001	No		Aug		
ಲಗಡ	# 80017 130023		0	15	0.002				-07	
0.10					0.003	No		313	-08-}	
	PPER									
) - PWS (0# sley !- 130315	MC	1,3 (MCL 1.3	Your Water 0.50	Viola	nion ;	Sample Date		yptoai Source
Sea.	sley (I- 130025		1.3	1.3	0.50		++			Consists of nousened plumbing lystem. Erosion of natural
Gnn			1.3	1.3	0.10	No.		Jul	<u>67</u> 6	oposis.
Gaic	78- 130021 Village- 130004		1.3	1.3	. 0.10			្សា		
Muc	ion- 130094	ユ	7.3	1.3	0.00 0:10	No		jui Aug		
	Bluff- 130017	4	13	1.3	0.30	No		فيزال	07	and the same of th
rius-	180023		1.3	1.8	9.30	816		J#	os [
	RATEMITRATE	. ·				<u> </u>		*****		
Well Bese	- PWSID# Hey:- 130316	MCI	10	10 I	Your Water 0.1	Visia	non s	sample Date Max		ypical Bource
	sley II- 130025		70	10	9.1	No		May-		unoN from fedilizer use: esching from septic tanks and
Graff		-	10	10	0.1	No		May	ള്ള	ewage. Exosion of natural
Gate ley ∪	F 130021 Aliage 130004	+-	16	10	0.1 0.1	No.		May-		eposits.
Maid	on- 156024		70	(0)	D.1	No		May-		
	Eiul?- 130017	-	10	10	0.1	. P.I.G		May-	C8	·
745-	180023		10 i	10	0.1	No		May-	G8 [
wet	- Pws:0#	MEL	Ġ T	AGL 1	Your Water	1 3 00-1	Man-	Service Servic		
Sees	Deg }- 13001€		************	0.56	O.DE	1000 1000	1000	Sample Date Aug-		Vicinia, Sorios (aluga, Sorios
Denn	ley I:- +30005		.06	30.6	0.92	No		AUG-		Arramas Disnatare
Omij Gale:				0.05	0.55	No		J.(m-		•
	1822e- 180004			0.08 0.08	0.00	No		Allo- Aug		***************************************
Muio:		ļ <u>0</u>	06	9.06	9.02	160		Ave-		•
~:Siz 3	1300E3			0.08	0.03	NE		A0g-	28	
	- WWW.W	<u></u>	~~ii	2.05.i	. 6.02	<u>i rvo</u>		Aug-	22.1	
				``						
dra-	ALOMETHAME	TTHA	28				क्ट इ	emple Date	Į 7×	and the same of th
172 1804 181 -	ALOMETHANE PWS:D#	MOLO	3 14	GL. Y	our VVater	MOISE				ರೀಲಾಗಿ ಎರಡುವಿಳಿ
ing Ross Veli –	PWS10# byl- 120018	MOLG D.C	3 14 3 14	00	6.94	No		2-pex	உ! வ	pisai Source simestion Bi-presuer
ing 1807: 1807: 1808: 1808: 1808:	Py/CS:(D# By I+ 130018 IV II- 130028 I- 130018	MOLE	3 /4 36 C		0.94 9.94	No No		AUG-C	의 보	
1999-1 Veli – Iczale Iczale Iczale Iczale	Paris (D# 5y i - 1200) (5 5y ii - 1200) (5 - 1300) (5 - 1300) (1	0.0 0.0	3 14 23 C 25 C	-00 208	6.94	No		A99-0 A99-0 Junio	8 D# 8	
TAGO SU Veli — Sepale S	Pries (D# 25 i - 1200 (8 (9 i) - 1300 (8 - 1300 (8 1300 (8 1300 (8 1300 (8)	0.0 0.0 0.0 0.0	3 A3 33 C 35 C 38 C 38 C	000 20% 20% 20% 40%	0,94 9,04 0 0 0,04 0,04	No No No No		Aug-C Aug-C Jump Aug-G Aug-G		
Tegyu Veli - Issale Issale Issale V Vill Iudor	Prints Def 2	0.0 0.0 0.0 0.0 0.0		000 000 000 000 000	0,04 0,04 0 0 0,04 0,04 0,04	No No No No No		Aug-C Aug-C Jung Aug-O Aug-O Aug-O		
TRAPAL Veli – ISSAIS ISSAIS INTIAN IN	PWS D# E1 120018 19 11 120018 19 11 130026 1 130016 1 130021 1806 130004 1 130024 1817 130017 180028	0.0 0.0 0.0 0.0 0.0 0.0 0.0		28 28 28 28 28 28 28 28 28 28 28 28 28 2	0.54 0.04 0.05 0.06 0.06 0.04 0.08	No No No No No No No		A39-0 A39-0 Jum0 A39-0 A49-0 A49-0 A49-0		And a section of the
TRAPAL Veli – ISSAIS ISSAIS INTIAN IN	PWS D# E1 120018 19 11 120018 19 11 130026 1 130016 1 130021 1806 130004 1 130024 1817 130017 180028	0.0 0.0 0.0 0.0 0.0 0.0 0.0		28 28 28 28 28 28 28 28 28 28 28 28 28 2	0.54 0.04 0.05 0.06 0.06 0.04 0.08	No No No No No No No	i le nece	A39-0 A39-0 Jum0 A39-0 A49-0 A49-0 A49-0		amedica by the since
Veli - lessie lessi lessi lessie lessie lessie lessie lessie lessie lessie lessie less	PM/SID# 91 - 130038 91 - 130028 - 130026 - 130021 150621 150624 - 130024 - 130024 NE - There is com	MOULE SEE SEE SEE SEE SEE SEE SEE SEE SEE S	3 12 36 0 88 0 88 0 88 0 88 0 88 0 89 0	28 28 28 28 28 28 28 28 28 28 28 28 28 2	C.S4 C.C4 C.C4 C.C4 C.C4 C.C4 C.C4 C.C4	No No No No No No No	i le nece	AUG-C Aug-C Jumg AUG-O AUG-O AUG-C AUG-C AUG-C SEBRY TOR CO		
Province of the control of the contr	PWSID# 130018 11 130018 13 11 130028 130018 130021 130021 130024 130024 130027 130028 INE - Title is com	6.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	3 13 33 0 35 0 35 0 35 0 35 0 3 0 70ence	28 28 28 28 28 28 28 28	Cube Cube Cube Cube Cube Cube Cube Cube	No N	High	AUG-C	S O S	microbial comantinants.
CTTO TROYLU Vell —	PWS ID# y i - 1300 i8 y i - 1300 y8 i 130	MCLG GG GG GG GG GG GG GG GG GG	3 133 C C C C C C C C C C C C C C C C C	28 28 28 28 28 28 28 28 28 28 28 28 28 2	C.O. 2 Sillon of a dist	No No No No No No No Mo Mo Mo Mo Mo Mo Mo Mo Mo Mo Mo Mo Mo	High 9,26	AUGC AUGC Jum0 AUGC AUGC AUGC AUGC AUGC AUGC AUGC AUGC	Si Dis	microbial contactic acts. On Typical Science Water additive used
Cristal Vell - Sessie	PWS ID# 130038 11 130038 13 1 130038 1 130038 1 130038 1 130034 1 130037 1 130038 INE - There is com PWS ID# 14 130016 2 1 130016	6.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	3 13 33 0 35 0 35 0 35 0 35 0 3 0 70ence	28	Cube Cube Cube Cube Cube Cube Cube Cube	No N	High	AUG-C		microbial comantinants.
Corrections of the correction	PWS ID# y i 130018 y i 130028 i 130028 i 130018 i 130018 i 130018 i 130018 i 130018 i 130018 i 130024 i 130028 i 130018 i 130016 i 130028 i 130018 i 130021	MCLE O.C.	3 123 26 00 26 00 26 00 26 00 26 00 26 00 27 00	28 08 08 08 08 08 08 08 08 08 08 08 08	0.34 0.04 0.04 0.04 0.04 0.04 0.04 0.04	M6 N6 N6 N6 N6 N6 N6 N6 M90tes 220ge 0.40 0.13 0.13	High 9,26 9,20 6,20 6,16	AUGC AUGC Jum0 AUGC AUGC AUGC AUGC AUGC AUGC AUGC AUGC	Si Dis	microbial contactic acts. On Typical Science Water additive used
Cons. Tanguage Scanne Scann	PWS ID# y i 130038 y i 130038 i 130038 130036 130021 13004 130024 130028 NE - There is com PWS ID# y i 130036 130038 NE - There is 130036 130038 130038 130038 130038 130038	MOLES MOLE	3 143 23 0 0 25 0 0 25 0 0 25 0 0 25 0 0 25 0 0 26 0 0 27 0 0 28 0 0	25 25 25 25 25 25 25 25	0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04	MO NO NO NO NO NO NO NO MO MO MO MO MO MO MO MO MO MO MO MO MO	High 0.20 0.20 6.20 6.16 0.20	AUG-C		microbial contactic acts. On Typical Science Water additive used
Cons- Consecutives Session Ses	PW/SID# 21 in 100018 21 in 100018 21 in 100028 21 in 100028 21 in 100024 22 in 100024 23 in 100028 24 in 100028 25 in 100028 26 in 100028 26 in 100028 27 in 100028 28 in 100028 29 in 100024 29 in 100024 29 in 100024	MCLE O.C.	3 123 26 00 26 00 26 00 26 00 26 00 26 00 27 00	38 38 38 38 38 38 38 38 38 38 38 38 38 3	0.34 0.04 0.04 0.04 0.04 0.04 0.04 0.04	M6 N6 N6 N6 N6 N6 N6 N6 M90tes 220ge 0.40 0.13 0.13	High 9,26 9,20 6,20 6,16	AUG-C		microbial conferincents On Typosi Scurpe Water additive used